Author Index

ACUÑA P.G.H. *see* WILMAN D.
ADAMSON G.H. *see* HOPKINS A.
AGNEW R.D.M. *see* MAXWELL T.J.
AJELE C.L. *see* CHIY P.C.
ALDON E.F. *see* COOK J.W.
ARMSTRONG D.G. *see* SHARP R.

BAHLER C.C. *see* BYERS R.A.
BARTHRAM G.T. and GRANT S.A. Seasonal variations in growth characteristics of *Lolium perenne* and *Trifolium repens* in swards under different managements 487
BARTHRAM G.T. and GRANT S.A. The effects of management and plant variety on the composition, vertical structure and stock-carrying capacity of *Lolium perenne*/*Trifolium repens* pastures 369
BELESKY D.P. and STOUT W.L. Growth of prairie grass (*Bromus willdenowii*) and tall fescue x perennial ryegrass (*Festuca arundinacea* × *Lolium perenne*) on the Appalachian Plateau of southern West Virginia, USA 21
BEUVINK J.M.W. and SPOELSTRA S.F. *In vitro* gas production kinetics of grass silages treated with different cell wall-degrading enzymes 277
BINNIE R.C. and CHESTNUTT D.B.M. Effect of continuous stocking by sheep at four sward heights on herbage mass, herbage quality and tissue turnover on grass/clover and nitrogen-fertilized grass swards 192
BOWLING P. J. *see* HOPKINS A.
BRADBURY J. W. *see* CLIFTON K. E.
BRADY W. W. *see* COOK J. W.
BUCKERIDGE D.J. *see* NORRINGTON-DAVIES J.
BURGESS L.R. *see* SAVOIE P.
BUXTON G.D. and GIBSON G.J. Aerobic deterioration of grass silage: the need to couple models and experiments 458
BYERS R.A., BAHLER C.C., STOUT W.L., LEATH K.T. and HOFFMAN L.D. Establishment of lucerne after maize in conservation tillage systems 316

CHAPMAN A., YOUNGER A. and DAVIES R. The influence of soil factors on the growth of a grass/clover sward on a restored opencast site in Northumberland 447
CHESTNUTT D.M.B. Effect of early season sward management on sward quality and lamb liveweight gain during autumn 405
see also BINNIE R.C.
CHIY P.C., PHILLIPS C.J.C and AJELE C.L. Sodium fertilizer application to pasture. 5. Effects on herbage digestibility and mineral availability in sheep 25
CHU A.C.P. *see* DOUGLAS G.B.
CIOLA A. *see* MARTINIELLO P.
CLEMENTS A.J. *see* WILKINS R.J.
CLEMENTS R.O. and HENDERSON I.F. Yield response to insecticide treatment of a perennial ryegrass sward following sheep grazing or cutting by machine (Research Note) 105
CLIFTON K.E., BRADBURY J.W. and VEHRENCAMP S.L. The fine-scale mapping of grassland protein densities 1

COLLIER W.A. *see* HART A.L.
COLLINS ROSEMARY P. and RHODES I. Influence of root competition on compatibility between white clover and perennial ryegrass populations during seedling establishment (Research Note) 506
COOK J.W., BRADY W.W. and ALDON E.F. The effect of grass plant size on basal frequency estimates 414
CRONRATH J. *see* HARRISON J.H.

DALZIEL A.J.I. *see* MAXWELL T.J.
DAVIES R. *see* CHAPMAN A.
DAVIES T.H. and RILEY J. Reseeding in the Falkland Islands: seed rate and fertilizers for establishment 65
DOOPER F.M.H. *see* STEG A.
DOUGLAS G.B., ROBERTSON A.G., CHU A.C.P. and GORDON I.L. Effect of plant age and severity of defoliation on regrowth of sheep's burnet during substrate moisture depletion 334

ELSTON D.A. *see* MAXWELL T.J.
ENDRES C.S. *see* JUNG H.G.

FERRIS C.P. and MAYNE C.S. The effects of incorporating sugar-beet pulp with herbage at ensiling on silage fermentation, effluent output and in-silo losses 216
FISHER G.E.J., SABRI M.S. and ROBERTS D.J. Effects of feeding fodder beet and concentrates with different protein contents on dairy cows offered silage *ad libitum* 34
FROST J.P. Effect of spreading method, application rate and dilution on ammonia volatilization from cattle slurry 391
FULKERSON W.J. and SLACK K. Leaf number as a criterion for determining defoliation time for *Lolium perenne*. 1. Effect of water-soluble carbohydrates and senescence 373

GASTAL F. *see* MAZZANTI A.
GIBB M.J. *see* WILKINS R.J.
GIBSON G.J. *see* BUXTON G.D.
GORDON I.L. *see* DOUGLAS G.B.
GRANT S.A. *see* BARTHRAM G.T.

HARRISON J.H., KINCAID R.L., LONEY K.A., RILEY R.E. and CRONRATH J. Fermentation and nutritive value of *Zea mays* and lucerne forage ensiled with added rolled barley 130
HART A.L. and COLLIER W.A. The effects of phosphorus and form of nitrogen supply on leaf cell size and nutrient content in *Trifolium repens* and *Lotus uliginosus* 96
HAY (JR) M.J.M. *see* NEWTON P.C.D.
HENDERSON I.F. *see* CLEMENTS R.O.
HILL R.R. *see* KENDALL W.A.
HINDLE V.A. *see* STEG A.
HOBBS N.T. *see* MILLER J.R.
HOFFMAN L.D. *see* BYERS R.A.
HOOPER G.E. *see* PENNING P.D.
HOOPER P.G. *see* SHARP R.
HOPKINS A., ADAMSON A.H. and BOWLING P.J. Response of permanent and reseeded grassland to

fertilizer nitrogen. 2. Effects on concentrations of Ca, Mg, K, Na, S, P, Mn, Zn, Cu, Co and Mo in herbage at a range of sites 9
HUCKLE C.A. *see* WILKINS R.J.

JONES J.R. *see* SIBBALD A.R.

JUNG H.G., SMITH R.R. and ENDRES C.S. Cell wall composition and degradability of stem tissue from lucerne divergently selected for lignin and *in vitro* dry-matter disappearance 295

KAFILZADEH F. *see* ROOKE J.A.
KEADY T.J.W. and STEEN R.W.J. Effects of treating low dry-matter grass with a bacterial inoculant on the intake and performance of beef cattle and studies on its mode of action 438
KEADY T.W.J., STEEN R.W.J., KILPATRICK D.J. and MAYNE C.S. Effects of inoculant treatment on silage fermentation, digestibility and intake by growing cattle 284
KENDALL W.A., SHAFFER J.A. and HILL R.R. Effect of temperature and water variables on the juvenile growth of lucerne and red clover 264
KENNEDY S.J. *see* MOORE C.A.
KILPATRICK D.J. *see* KEADY T.W.J.
KINCAID R.L. *see* HARRISON J.H.
KIRKHAM F.W. and WILKINS R.J. The productivity and response to inorganic fertilizers of species-rich wetland hay meadows on the Somerset Moors: nitrogen response under hay cutting and aftermath grazing 152
KIRKHAM F.W. and WILKINS R.J. The productivity and response to inorganic fertilizers of species-rich wetland hay meadows on the Somerset Moors: the effect of nitrogen, phosphorus and potassium on herbage production 163
KNIGHT A.C. *see* SAVOIE P.
KUNELIUS H.T. *see* NARASIMHALU P.

LAVENDER R.H. *see* SHELDRICK R.D.
LEATH K.T. *see* BYERS R.A.
LEMAIRE G. *see* MAZZANTI A.
LINDGREN S. *see* RAMMER C.
LINGVALL P. *see* RAMMER C.
LLOYD A. Effectiveness of cattle slurry as a sulphur source for grass cut for silage 203
LONEY K.A. *see* HARRISON J.H.
LOWE J.F. *see* WILLIAMS A.G.

McGECHAN M.B. *see* SAVOIE P.
MARTINIELLO P. and CIOLA A. The effect of agronomic factors on seed and forage production in perennial legumes sainfoin (*Onobrychis viciifolia* Scop.) and French honeysuckle (*Hedysarum coronarium* L.) 121
MARTYN T.M. *see* SHELDRICK R.D.
MAXWELL T.J., SIBBALD A.R., DALZIEL A.J.I., AGNEW R.D.M. and ELSTON D.A. The implications of controlling grazed sward height for the operation and productivity of upland sheep systems in the UK. 1. Effects of two annual stocking rates in combination with two sward height profiles 73
see also SIBBALD A.R.
MAYNE C.S. *see* FERRIS C.P.
see also KEADY T.W.J.
MAZZANTI A. and LEMAIRE G. Effect of nitrogen fertilization on herbage production of tall fescue swards continuously grazed by sheep. 2. Consumption and efficiency of herbage utilization 352
MAZZANTI A., LEMAIRE G. and GASTAL F. The effect of nitrogen fertilization upon the herbage production of tall fescue swards continuously grazed with sheep. 1. Herbage growth dynamics 111
MERCHANT MARGARET and RIACH D.J. The intake and performance of cashmere goats grazing sown swards 429
MICHAUD P. JOY *see* WILMAN D.
MILLER J.R. and HOBBS N.T. Effect of forage hydration on lag time during *in vitro* digestion of meadow hay (Research Note) 107
MISELBROOK T.H. *see* PAIN B.F.
MOORE C.A. and KENNEDY S.J. The effect of sugar beet pulp-based silage additives on effluent production, fermentation, in-silo losses, silage intake and animal performance 54
MORGAN T.E.H. *see* SIBBALD A.R.

NARASIMHALU P. and KUNELIUS H.T. Mineral composition of red clover treated with growth regulators in early spring 146
NARASIMHALU P. and KUNELIUS H.T. Yield and composition of red clover treated with growth regulators in early spring 138
NEWTON P.C.D. and HAY (JR) M.J.M. Patterns of nodal rooting in *Trifolium repens* (L.) and correlations with stages in the development of axillary buds 270
NORRINGTON-DAVIES J. and BUCKERIDGE D.J. Plant interference and chemical toxins in upland pastures 176

ORR R.J. *see* PENNING P.D.
ÖSTLING C. *see* RAMMER C.

PAIN B.F., MISSELBROOK T.H. and REES Y.J. Effects of nitrification inhibitor and acid addition to cattle slurry on nitrogen losses and herbage yields 209
PARSONS A.J. *see* PENNING P.D.
PENNING P.D., PARSONS A.J., ORR R.J. and HOOPER G.E. Intake and behaviour responses by sheep to changes in sward characteristics under rotational grazing 476
see also YARROW N.H.
PHILLIPS C.J.C. *see* CHIY P.C.

RAMMER C., ÖSTLING C., LINGVALL P. and LINDGREN S. Ensiling of manured crops—effects on fermentation 343
REES D.V.H. *see* WILLIAMS A.G.
REES M.E. *see* SIBBALD A.R.
REES Y.J. *see* PAIN B.F.
RHODES I. *see* COLLINS ROSEMARY P.
RIACH D.J. *see* MERCHANT MARGARET
RILEY J. *see* DAVIES T.H.
RILEY R.E. *see* HARRISON J.H.
ROBERTS D.J. *see* FISCHER G.E.J.
ROBERTSON A.G. *see* DOUGLAS G.B.
ROOKE J.A. and KAFILZADEH F. The effect upon fermentation and nutritive value of silages produced after treatment by three different inoculants of lactic acid bacteria applied alone or in combination 324

SABRI M.S. *see* FISHER G.E.J.
SAVOIE P., BURGESS L.R., KNIGHT A.C. and McGECHAN M.B. Drying and physical characteristics of matted ryegrass 257
SELMER-OLSEN I. Enzymes as silage additives for grass–clover mixtures 305
SHAFFER J.A. *see* KENDALL W.A.
SHARP R., HOOPER P.G. and ARMSTRONG D.G. The digestion of grass silages produced using inoculants of lactic acid bacteria 42
SHELDRICK R.D., LAVENDER R.H. and MARTYN T.M. Effects of delay in reapplication of nitrogen fertilizer following cutting silage from a ryegrass sward (Research Note) 369
SIBBALD A.R., MAXWELL T.J., MORGAN T.E.H., JONES J.R. REES M.E. The implications of

controlling grazed sward height for the operation and productivity of upland sheep systems in the UK. 2. Effects of two annual stocking rates in combination with two levels of fertilizer nitrogen 89
see also MAXWELL T.J.
SLACK K. *see* FULKERSON W.J.
SMITH R.R. *see* JUNG H.G.
SPOELSTRA S.F. *see* BEUVINK J.M.W.
STEEN R.W.J. *see* KEADY T.J.W.
STEG A., VAN STRAALEN W.M., HINDLE V.A., WENSINK W.A. and DOOPER F.M.H. Rumen degradation and intestinal digestion of grass and clover at two maturity levels during the season in dairy cows 378
STOUT D.G. and THOMPSON D.T. Yield and compensatory growth of lucerne following simulated winter-kill 401
STOUT W.L. *see* BELESKY D.P.
see also BYERS R.A.

VAN STRAALEN W.M. *see* STEG A.

THOMPSON D.T. *see* STOUT D.G.

VEHRENCAMP S.L. *see* CLIFTON K.E.

WENSINK W.A. *see* STEG A.
WILKINS R.J., GIBB M.J., HUCKLE C.A. and CLEMENTS A.J. Effect of supplementation on production by spring calving dairy cows grazing swards of differing clover content 465
see also KIRKHAM F.W.
WILLIAMS A.G., LOWE J.F. and REES D.V.H. The effect of oxygen concentration on changes in the microbial population, temperature and dry-matter content in grass silage 183
WILMAND D., ACUÑA G.H. and MICHAUD P. JOY Concentrations of N, P, K, Ca, Mg and Na in perennial ryegrass and white clover leaves of different ages 422

YARROW N.H. and PENNING P.D. Managing grass/clover swards to produce differing clover proportions (Research Note) 496
YOUNGER A. *see* CHAPMAN A.